

# SD SERIES - SPECIFICATION DATA SHEET 3.3



www.kirkkey.com

## Kirk Key Interlock Company

211 Wetmore Ave. S.E., Massillon, OH 44646


Phone: 330.833.8223 • Fax: 330.833.1528 • Toll Free: 800.438.2442

Email: sales@kirkkey.com

## Adapter Plates (Mounting Plates) Short D Plate



The Short D Plate (Part # 80329001) is made of brass and fastened to the back of a single cylinder SD Series Type D interlock to allow front mounting (see SD Series Data Sheet 1.4). The thickness of the Short D plate is 3/8". To order this plate with your SD Series Type D interlock, put the letter "P" in column fourteen of the interlock part number - reference the SD Series Ordering Guide.



### NOTES:

1) 3/8"-16 tapped holes for mounting (4 holes).

# SD SERIES - SPECIFICATION DATA SHEET 3.3



www.kirkkey.com

## Kirk Key Interlock Company

211 Wetmore Ave. S.E., Massillon, OH 44646


Phone: 330.833.8223 • Fax: 330.833.1528 • Toll Free: 800.438.2442

Email: sales@kirkkey.com

## Adapter Plates (Mounting Plates) Long D Plate



The Long D Plate (Part # 80329002) is made of brass and fastened to the back of a multi-cylinder SD Series Type D interlock to allow front mounting (see SD Series Data Sheet 1.4). The thickness of the Long D Plate is 3/8". To order this plate with your multi-cylinder SD Series Type D interlock, put the letter "P" in column fourteen of the interlock part number - reference the SD Series Ordering Guide.



### NOTES:

2) 3/8"-16 tapped holes for mounting (6 holes).

## SD SERIES - SPECIFICATION DATA SHEET 3.3



www.kirkkey.com

### Kirk Key Interlock Company

211 Wetmore Ave. S.E., Massillon, OH 44646


Phone: 330.833.8223 • Fax: 330.833.1528 • Toll Free: 800.438.2442

Email: sales@kirkkey.com

## Adapter Plates (Mounting Plates) FN Plate



The FN Plate (Part # 155987001) is made of brass and fastened to the end of a SD Series Type FN interlock to allow alternative mounting scenarios (see SD Series Data Sheet 1.7). The thickness of the FN Plate is 1/4". To order this plate with your SD Series Type FN interlock, put the letter "P" in column fourteen of the interlock part number - reference the SD Series Ordering Guide. The plate (when ordered) will be bolted to your Type FN interlock.



#### NOTES:

3) .406" (10.32mm) dia. holes for mounting bolts (2 holes).

4) When ordering the FN Plate, consider adding 1/4" to the SD Series Type FN locking bolt length to compensate for the thickness of the FN Plate.